



US006038338A

**United States Patent**

[19]

**Nguyen**[11] **Patent Number:** **6,038,338**[45] **Date of Patent:** **Mar. 14, 2000**[54] **HYBRID NEURAL NETWORK FOR PATTERN RECOGNITION**[75] Inventor: **Chung T. Nguyen**, Bristol, R.I.[73] Assignee: **The United States of America as represented by the Secretary of the Navy**, Washington, D.C.[21] Appl. No.: **08/802,572**[22] Filed: **Feb. 3, 1997**[51] Int. Cl.<sup>7</sup> ..... **G06K 9/62**[52] U.S. Cl. ..... **382/159; 382/158**[58] Field of Search ..... **382/155, 187, 382/158, 157, 159; 395/23; 365/49; 706/16, 25, 29, 33, 46**[56] **References Cited**

## U.S. PATENT DOCUMENTS

- |           |         |              |       |         |
|-----------|---------|--------------|-------|---------|
| 5,023,833 | 6/1991  | Baum et al.  | ..... | 365/49  |
| 5,105,468 | 4/1992  | Guyon et al. | ..... | 382/158 |
| 5,293,456 | 3/1994  | Guez et al.  | ..... | 382/158 |
| 5,390,284 | 2/1995  | Ogata et al. | ..... | 706/25  |
| 5,402,519 | 3/1995  | Inoue et al. | ..... | 706/16  |
| 5,426,745 | 6/1995  | Baji et al.  | ..... | 382/159 |
| 5,581,660 | 12/1996 | Horan        | ..... | 706/40  |

5,712,922 1/1998 Loewenthal et al. ..... 382/155

*Primary Examiner*—Amelia Au*Assistant Examiner*—Samir Ahmed*Attorney, Agent, or Firm*—Michael J. McGowan; Michael F. Oglo; Prithvi C. Lall[57] **ABSTRACT**

A system and a method for recognizing patterns comprises a first stage for extracting features from inputted patterns and for providing topological representations of the characteristics of the inputted patterns and a second stage for classifying and recognizing the inputted patterns. The first stage comprises two one-layer neural networks and the second stage comprises a feedforward two-layer neural network. Supplying signals representative of a set of inputted patterns to the input layers of the first and second neural networks, training the first and second neural networks using a competitive learning algorithm, and generating topological representations of the input patterns using the first and second neural networks. The method further comprises providing a third neural network for classifying and recognizing the inputted patterns and training the third neural network with a back-propagation algorithm so that the third neural network recognizes at least one interested pattern.

**13 Claims, 2 Drawing Sheets**